

## SAFETY DATA SHEET

**Product Trade Name:** EZ-MUD®

**Revision Date:** 27-Jul-2021

**Revision Number:** 46

### 1. Identification

#### 1.1. Product Identifier

**Product Trade Name:** EZ-MUD®  
**Synonyms:** None  
**Chemical Family:** Blend  
**Internal ID Code:** HM003643

#### 1.2 Recommended use and restrictions on use

**Application:** Shale Inhibitor  
**Uses advised against:** No information available

#### 1.3 Manufacturer's Name and Contact Details

##### Manufacturer/Supplier

Halliburton Energy Services, Inc.  
P.O. Box 1431  
Duncan, Oklahoma 73536-0431  
Telephone: 1-281-871-6107

Halliburton Energy Services  
Commerz II International Business Park,  
Oberoi Gard Off Western Express Hwy,  
Goregaon (E), Mumbai – 400 063, India

**Prepared By:** Chemical Stewardship  
e-mail: fdunexchem@halliburton.com

#### 1.4. Emergency telephone number:

**Emergency Telephone Number:** 1-866-519-4752 or 1-760-476-3962 (accessible 24 hours a day / 7 days a week)  
Global Incident Response Access Code: 334305  
Contract Number: 14012

### 2. Hazards Identification

#### 2.1 Classification in accordance with paragraph (d) of §1910.1200

As adopted by the competent authority, this product does not require an SDS or hazard warning label.

Not classified

#### 2.2. Label Elements

**Hazard Pictograms:**

**Signal Word:** Not Classified

**Hazard Statements:** Not Hazardous

**Precautionary Statements**

<b>Prevention</b>	None
<b>Response</b>	None
<b>Storage</b>	None
<b>Disposal</b>	None

**2.3 Hazards not otherwise classified**

None known

**3. Composition/information on Ingredients**

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Hydrotreated light petroleum distillate	64742-47-8	10 - 30%	Asp. Tox. 1 (H304)
Ethoxylated branched C13 alcohol	78330-21-9	1 - 5%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 2 (H401) Aquatic Chronic 3 (H412)

The exact percentage (concentration) of the composition has been withheld as proprietary.

**4. First Aid Measures****4.1. Description of first aid measures**

<b>Inhalation</b>	If inhaled, move victim to fresh air and seek medical attention.
<b>Eyes</b>	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
<b>Skin</b>	Wash with soap and water. Get medical attention if irritation persists. Remove contaminated shoes and discard.
<b>Ingestion</b>	Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

**4.2 Most important symptoms/effects, acute and delayed**

Causes mild skin irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. Fire-fighting measures****5.1. Extinguishing media****Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

**Extinguishing media which must not be used for safety reasons**

None known.

**5.2 Specific hazards arising from the substance or mixture****Special exposure hazards in a fire**

Decomposition in fire may produce harmful gases. Use water spray to cool fire exposed surfaces.

**5.3 Special protective equipment and precautions for fire-fighters**

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

See Section 8 for additional information.

### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

### 6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

## 7. Handling and storage

### 7.1. Precautions for safe handling

#### Handling Precautions

Use appropriate protective equipment. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Information

Store away from oxidizers. Keep container closed when not in use. Store locked up. Product has a shelf life of 12 months.

## 8. Exposure Controls/Personal Protection

### 8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable	Not applicable

### 8.2 Appropriate engineering controls

#### Engineering Controls

A well ventilated area to control dust levels. Local exhaust ventilation should be used in areas without good cross ventilation.

### 8.3 Individual protection measures, such as personal protective equipment

#### Personal Protective Equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

#### Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Organic vapor respirator with a dust/mist filter. (A2P2/P3) In high concentrations, supplied air respirator or a self-contained

<b>Hand Protection</b>	breathing apparatus. Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 8 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.
<b>Skin Protection</b>	Rubber apron.
<b>Eye Protection</b>	Chemical goggles; also wear a face shield if splashing hazard exists.
<b>Other Precautions</b>	None known.

## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Physical State:</b> Liquid	<b>Color</b>	White to gray
<b>Odor:</b> Mild hydrocarbon	<b>Odor</b>	No information available
	<b>Threshold:</b>	

<u>Property</u>	<u>Values</u>
Remarks/ - Method	
<b>pH:</b>	6-8
<b>Freezing Point / Range</b>	No data available
<b>Melting Point / Range</b>	No data available
<b>Pour Point / Range</b>	No data available
<b>Boiling Point / Range</b>	175 °C / 347 °F
<b>Flash Point</b>	> 93 °C / > 200 °F (PMCC)
<b>Flammability (solid, gas)</b>	No data available
Upper flammability limit	No data available
Lower flammability limit	No data available
<b>Evaporation rate</b>	< 1
<b>Vapor Pressure</b>	0.002 mmHg
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	1
<b>Water Solubility</b>	Partly soluble
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	> 200 °C / 392 °F
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

### 9.2. Other information

<b>VOC Content (%)</b>	No data available
------------------------	-------------------

## 10. Stability and Reactivity

### 10.1. Reactivity

Not expected to be reactive.

### 10.2. Chemical stability

Stable

**10.3. Possibility of hazardous reactions**

Will Not Occur

**10.4. Conditions to avoid**

Keep away from heat, sparks and flame.

**10.5. Incompatible materials**

Strong oxidizers.

**10.6. Hazardous decomposition products**

Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.

**11. Toxicological Information****11.1 Information on likely routes of exposure****Principle Route of Exposure** Eye or skin contact, inhalation.**11.2 Symptoms related to the physical, chemical and toxicological characteristics****Acute Toxicity****Inhalation**

May cause mild respiratory irritation.

**Eye Contact**

In vitro tests indicate that the product is not an eye irritant.

**Skin Contact**

Causes mild skin irritation.

**Ingestion**

May cause mild gastric distress.

**Chronic Effects/Carcinogenicity** No data available to indicate product or components present at greater than 0.1% are chronic health hazards.**11.3 Toxicity data****Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrotreated light petroleum distillate	64742-47-8	>5000 mg/kg-bw (rat) (similar substance)	>2000 mg/kg-bw (rabbit) (similar substance)	>5.2 mg/L (rat, 4 h, vapor) (similar substance)
Ethoxylated branched C13 alcohol	78330-21-9	1600 mg/kg-bw (rat) (similar substance)	>2000 mg/kg-bw (rabbit) (similar substance)	>0.22 mg/L (rat, 4h, aerosol, saturated) (similar substance)

Substances	CAS Number	Skin corrosion/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the skin (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Skin, rabbit: Causes moderate skin irritation. (similar substances)

Substances	CAS Number	Serious eye damage/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to rabbit's eye (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Eye, rabbit: Causes severe eye irritation which may damage tissue. (similar substances)

Substances	CAS Number	Skin Sensitization
Hydrotreated light petroleum distillate	64742-47-8	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Hydrotreated light petroleum distillate	64742-47-8	Based on available data, the classification criteria are not met.
Ethoxylated branched C13 alcohol	78330-21-9	Based on available data, the classification criteria are not met.

Substances	CAS Number	Mutagenic Effects
Hydrotreated light petroleum distillate	64742-47-8	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects. (similar substances)

Substances	CAS Number	Carcinogenic Effects
Hydrotreated light petroleum distillate	64742-47-8	Did not show carcinogenic effects in animal experiments (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Did not show carcinogenic effects in animal experiments (similar substances)

Substances	CAS Number	Reproductive toxicity
Hydrotreated light petroleum distillate	64742-47-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)

Substances	CAS Number	STOT - single exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification.
Ethoxylated branched C13 alcohol	78330-21-9	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)

Substances	CAS Number	STOT - repeated exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)

Substances	CAS Number	Aspiration hazard
Hydrotreated light petroleum distillate	64742-47-8	Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.
Ethoxylated branched C13 alcohol	78330-21-9	Based on available data, the classification criteria are not met.

## 12. Ecological Information

### 12.1. Toxicity

Acute Fish Toxicity

Algae Toxicity

Acute Crustaceans Toxicity:

TLM96: >1000 mg/l (Pimephales promelas)

EC50: 16.70 mg/l (Skeletonema costatum)

TLM48: 98 mg/l (Acartia tonsa)

### Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrotreated light petroleum distillate	64742-47-8	ErL50(72 h)>10000 mg/L (Skeletonema costatum)	LC50(96 h)>10000 mg/L (Scophthalmus maximus) NOELR(28 d)>1000 mg/L (fish)	No information available	LC50(48 h)>10000 mg/L (Acartia tonsa) NOELR(21 d)=1000 mg/L (Daphnia magna)
Ethoxylated branched C13 alcohol	78330-21-9	IC50(72 h)=1-10 mg/L (Desmodesmus subspicatus)	LC50(96 h)=1-10 mg/L (Cyprinus carpio)	No information available	EC50(48 h)=1-10 mg/L (Daphnia magna) NOAEC (21d) 0.77 mg/L (Daphnia magna)

### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrotreated light petroleum distillate	64742-47-8	Readily biodegradable (68.1% @ 28d)
Ethoxylated branched C13 alcohol	78330-21-9	Readily biodegradable (> 60% @ 28d)

### 12.3. Bioaccumulative potential

Substances	CAS Number	Bioaccumulation
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated branched C13 alcohol	78330-21-9	Not Bioaccumulative; BCF = 12.7 - 237 L/Kg

#### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated branched C13 alcohol	78330-21-9	No information available

#### 12.5 Other adverse effects

No information available

### **13. Disposal Considerations**

#### 13.1. Waste treatment methods

**Disposal methods** Disposal should be made in accordance with federal, state, and local regulations. Incineration recommended in approved incinerator according to federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

### **14. Transport Information**

#### US DOT

**UN Number** Not restricted  
**UN proper shipping name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

#### Canadian TDG

**UN Number** Not restricted  
**UN proper shipping name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

#### IMDG/IMO

**UN Number** Not restricted  
**UN proper shipping name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

#### IATA/ICAO

**UN Number** Not restricted  
**UN proper shipping name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable

**Special Precautions for User** None

## 15. Regulatory Information

### US Regulations

**US TSCA Inventory** All components listed on inventory or are exempt.

#### TSCA Significant New Use Rules - S5A2

Substances	CAS Number	TSCA Significant New Use Rules - S5A2	TSCA Section 5(E) Consent Orders
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable	Not applicable

#### EPA SARA Title III Extremely Hazardous Substances

Substances	CAS Number	EPA SARA Title III Extremely Hazardous Substances
Hydrotreated light petroleum distillate	64742-47-8	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable

#### EPA SARA (311,312) Hazard Class

None

#### EPA SARA (313) Chemicals:

Substances	CAS Number	Toxic Release Inventory (TRI) - Group I	Toxic Release Inventory (TRI) - Group II
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable	Not applicable

#### EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Hydrotreated light petroleum distillate	64742-47-8	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable

#### EPA RCRA Hazardous Waste Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

#### California Proposition 65

Substances	CAS Number	California Proposition 65
Hydrotreated light petroleum distillate	64742-47-8	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable

#### U.S. State Right-to-Know Regulations

Substances	CAS Number	MA Right-to-Know Law	NJ Right-to-Know Law	PA Right-to-Know Law
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable	Not applicable	Not applicable

**NFPA Ratings:** Health 2, Flammability 1, Reactivity 0

**HMS Ratings:** Health 2, Flammability 1, Physical Hazard 0, PPE: B

### Canadian Regulations

**Canadian Domestic Substances List (DSL)** All components listed on inventory or are exempt.

## 16. Other information

#### Preparation Information

Prepared By Chemical Stewardship



---

e-mail: fdunexchem@halliburton.com

**Revision Date:** 27-Jul-2021

**Reason for Revision** SDS sections updated:  
2

**Additional information:**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

bw – body weight

CAS – Chemical Abstracts Service

d - day

EC50 – Effective Concentration 50%

ErC50 – Effective Concentration growth rate 50%

h - hour

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL50 – Lethal Loading 50%

mg/kg – milligram/kilogram

mg/L – milligram/liter

mg/m<sup>3</sup> - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

NIOSH – National Institute for Occupational Safety and Health

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PEL – Permissible Exposure Limit

ppm – parts per million

STEL – Short Term Exposure Limit

TWA – Time-Weighted Average

UN – United Nations

w/w - weight/weight

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

NZ CCID

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**